

PROCEEDINGS OF THE 5TH WFOT MEETING; 2016 NOV 18-20; MUMBAI, INDIA

Possible errors in pain treatment with ozone

Stefan Tiron

Traumatology and orthopedics, Centrul Medical Dr. Tiron. Bucharest. Romania.

ABSTRACT

OPEN ACCESS

Citation

Tirón S. Possible errors in pain treatment with ozone [abstract]. Proceedings of the 5Th WFOT Meeting; 2016 Nov 18-20; Mumbai, India. J Ozone Ther. 2018;2(2). doi: 10.7203/jo3t.2.2.2018.11135

Academic Editor

Jose Baeza-Noci,
School of Medicine, Valencia
University, SPAIN

Editor

World Federation of Ozone
Therapy, Bolgna, ITALY

Received

December 9, 2017

Accepted

December 10, 2017

Published

March 4, 2018

Intellectual Property

Stefan Tiron. This is an open access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Author Information

tironstefan@yahoo.com

This presentation is made based on (more than) 3000 patient's experience.

The pain treatment with ozone is an excellent one. So ... why don't we have 100% results?

WRONG DIAGNOSIS :

Treatment of an irradiate pain like a local one: every pain in

Upper limb (with no evident cause): must be treated like an irradiate cervical problem, and treated in cervical region.

Lower limb (with no evident cause) : must be treated like an irradiate luombar problem and treated in lumbar region.

Traumatological or surgical scars in cervical or abdominal region can explain cervical or lumbar pain. The treatment must begin with subcutaneous ozone injections in the pericatricial region.

Pain given by chronic fatigue syndrome

Treatment in diseases when the ozone treatment is inefficient (lumbar stenosis, torticollis ...)

TECHNICAL ERRORS:

Position of the needle (paravertebral)

Wrong concentration of ozone